SUPERIOR CODE READER FEATURES

CODE READER OVERVIEW & SPECIFICATIONS



OPTIONAL FEATURES



Micronic Side Barcode Readers

The Micronic Side Barcode Readers are available as an option for the following whole Rack Readers: the Micronic Rack Readers DR500, DR505, DR700 and DR710. When mounted, the Micronic Code Reader Software can read both the 1D rack barcode and 2D tube codes simultaneously.

Whole Rack Readers	Micronic Rack Reader DR710	Micronic Rack Reader DR700	Micronic Rack Reader DR505	Micronic Rack Reader DR500
Basic Features Imaging technology Decode time Scan time Dimensions (mm) Decoding software	CCD 1 second 7 seconds 309 x 230 x 87 Micronic	CCD 1 second 7 seconds 309 x 230 x 87 Micronic	CIS 1 second 5 seconds 265 x 186 x 70 Micronic	CIS 1 second 5 seconds 265 x 186 x 70 Micronic
Software Compatibility Windows XP, 10, 8.1 and 7* Connection	Yes USB x 2	Yes USB x2	Yes USB x2	Yes USB x2
Output Options Output text file Configure output file ODBC database push User account independent Network ready TCP/IP remote control	Yes Yes Yes Yes Yes Yes	Yes Yes Yes Yes Yes Yes	Yes Yes Yes Yes Yes Yes	Yes Yes Yes Yes Yes Yes
Tube/Rack Compatibility 24-well format tube/rack 48-well format tube/rack 96-well format tube/rack Read all 2D Data-Matrix codes	Yes Yes Yes Yes	Yes Yes Yes Yes	Yes Yes Yes Yes	Yes Yes Yes Yes
Other Features No tube, no code feature Single tube reading Rack templates Anti-frost system Robot gripper friendly Linear rack barcode reading Automatic code polarity recognition	Yes Yes Yes Yes, Active Yes Optional Yes	Yes Yes Yes, Passive Yes Optional Yes	Yes Yes Yes, Passive Yes Optional Yes	Yes Yes Yes No Yes Optional Yes

* Please contact us for compatibility with other Windows versions.

Micronic America North, Central and South America Tel: +1 484 480 3372 Micronic Asia Asia and Pacific





BROCHURE



Micronic Europe

frica, Middle East, Europe ēl: +31 (0)320 277070

E-mail: sales@micronic www.micronic.com

MICRONIC CODE READER RANGE

Single Tube and Whole Rack Scanners



A COMPLETE RANGE FOR EVERY BUDGET

To enable fast, accurate and efficient sample identification, Micronic offers an extensive code reader range which consists of whole rack and single tube readers. The high-end DR700 and DR710 Rack Readers feature deep focus image technology (CCD imaging technology) ensuring the highest accuracy 2D code reading, and an anti-frost system so that tube codes from even frozen samples can be read. The DR700 has a passive anti-frost system, whereas the DR710 has an active anti-frost system. The DR700 and DR710 have a scan time of approximately 7 seconds. To read 1D rack barcodes simultaneously, the Side Barcode Reader is available.

The Micronic Rack Readers DR500 and DR505 are small benchtop solutions that can read 2D codes quickly and cost effective within seconds. The compact readers are built for high throughput and automated systems. The DR505 version has a passive anti-frost system, which enables users to read racks filled with 2D coded tubes straight from the freezer. All Micronic Rack Readers are standard supplied with Micronic Code Reader Software to ensure optimal performance.

To identify codes from single tubes, we offer easy to use single tube scanners. The versatile Micronic Tube Reader DT500 can read 1D barcoded and 2D Data-Matrix coded tubes within 1 second. The Micronic Tube Reader DT300 is a portable lightweight device.



MICRONIC CODE READER SOFTWARE

The comprehensive Micronic Code Reader Software is fully compatible with all Micronic Rack Readers. The user friendly software is easy to use, gives reliable code readings and can be easily integrated into any laboratory sample database.

Developed on the basis of extensive user feedback, the new Micronic Code Reader Software features an automatic re-read function that ensures all the codes in a rack are deciphered quickly. After a rack is scanned, each cell contains a high-quality image of the code and tube ID, as well as a 'no tube, no code' feature if a tube cannot be found. Additional useful features include adjustment controls for brightness, contrast MICRONIC () i) 8 9 10 11 12 and threshold to optimize tube code display. Furthermore, the Micronic Code Reader Software features an automatic code polarity recognition function, which allows users to scan white on black code surfaces and black on white code surfaces, further improving compatibility. All features in the new software are included as standard at no extra cost with free upgrades and Good read 0 No tube 0 No code 0 technical support.

SINGLE TUBE AND WHOLE RACK READERS



Side Barcode Reader

MP53240

Scan time is 1 second

L 230 x 132 x 35 mm

compatible

CCD imaging technology

1D Side Barcode Reader

Micronic Rack Reader DR500

Whole Rack Reader MP35220



- Scan time is 5 seconds
- **L** 254 x 157 x 47 mm
- CIS imaging technology
- 96, 48, 24-format compatible

(-)

Q

Single tube reading

Reade

Optional 1D Side Barcode

IN-HOUSE ASSEMBLY & EXCEPTIONAL SERVICE

At Micronic, we develop and manufacture our premium labware and precision engineered equipment in-house. We are committed to offer top-of-the-line products, delivering exceptional quality, reliability and durability. Above all, we stand behind our solutions, and are confident that you will too.

Micronic Code Readers are assembled in the Netherlands and the United States. High-level service is of paramount importance at Micronic. Therefore, we have well-trained personnel on hand to provide service on equipment. These services range from annual maintenance, installation support and customization, to repairs.

Micronic warrants that its products are of satisfactory quality and conform to applicable EU legislation. If the product turns out to be defective, Micronic will arrange to repair or replace the product during the warranty period. The warranty period begins on the day the product was purchased from an authorized dealer and ends after 5 years for Micronic Reading equipment. In case of product replacement, the warranty start date remains the date of purchase of the original product. Micronic offers an industry leading warranty of 5 years, because we can!

Narrantv

